



# **GENERAL DYNAMICS**

## Armament Systems


---

Percussion/Electric  
Gun Design for  
Comanche

*James Q. Talley*  
*Manager - Systems Weaponization Engineering*



# XM301 20mm Gun & Accessories



# XM301 Gun Features

---

- Design Optimized to Mission Requirements (Rate of Fire & Burst Schedule)
- Light Weight/Low Profile (>40% lighter than M197)
  - Advanced casting technology
  - Breech Locks Integral to Barrel
- Low Parts Count (~50% less than M197)
- Externally Powered
- Simple/Quick to Assemble & Strip - No Special Tools

# XM301 Gun Performance


---

- Firing Rate 1500 spm nominal
- Drive Power (Gun) 2 HP @ 1500 spm  
(Gun & Feeder) 3 HP @ 1500 spm
- Lubrication Interval 5,000 Rounds
- Ignition Percussion and electric


# XM301 Gun Characteristics

<b>Gun Type</b>	<b>Gatling, 3-Barrel, 20mm</b>
<b>Weight (Gun only)</b>	<b>80.6 lb. (+ ~ 2 lbs for percussion)</b>
<b>(with Feeder)</b>	<b>103.2 lb.</b>
<b>Length</b>	<b>72.2 in.</b>
<b>Diameter @ Main Bearing</b>	<b>6.93 in.</b>
<b>Barrel Length (Overall)</b>	<b>61.1 in.</b>
<b>(Projectile Travel)</b>	<b>56.7 in.</b>
<b>Rifling</b>	<b>Std. 20mm Gain Twist</b>
<b>Bolt Type</b>	<b>Rotating Lock/Telescoping Body</b>
<b>Clearing</b>	<b>Declutching Feeder</b>
<b>Interoperability</b>	<b>M50s, PGUs, M220, M246, Mk149, XM-1031, XM-1032</b>



# Comparison of XM301 to M197



# XM301 & M197 Rotors & Housings



M197



XM301



# XM301/M197 Weights & Parts Count

<u>Subassembly</u>	<u>Weight (lb)</u>		<u>Parts Count</u>	
	<u>M197</u>	<u>XM301</u>	<u>M197</u>	<u>XM301</u>
Gun Subassembly	70.6	23.3	264	77
Barrels & Clamps	57.9	57.3	17	12
Feeder	22.5	12.8	129	125
Gun Drive & Motor	11.7	6.9	50	7
Recoil Adapter(s)	<u>11.8</u>	<u>2.9</u>	<u>27</u>	<u>9</u>
<u>Totals</u>	174.5	103.2	487	230

XM301 Gun is >40% lighter and contains ~50% fewer parts.



# Percussion/Electric Gun Design (PEGS)

---


- XM301 20mm gun for Comanche is being upgraded:
  - Currently fires electrically primed ammunition
  - 20,000+ rounds fired on prototype gun
  - 1996 study demonstrated feasibility of PEGS
  - ARDEC to release ammunition contract for XM1031/XM1032 in summer of 2001
  - Will interchangeably fire electrically and percussion primed ammunition

# Technical Challenges of PEGS


---

- Percussion sear ~1.4 msec before electric sear
- Electrical isolation of firing pin
- Packaging of percussion firing mechanism
- Incorporate percussion safing & arming
- Accommodate dry cycling/firing

# Comparison of Bolt Assemblies



Original bolt assembly for electrically primed ammunition



New bolt assembly for both percussion primed and electrically primed ammunition